



**DECKING. RAILING.**


And other reasons to never go back indoors.







TREX® DECKING  
08



TREX® RAILING  
24


Photo © 2022 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All rights reserved.




GREEN BY DESIGN  
20



TREX® TOOLS  
32



SHOP TREX® EXTRAS  
34



DETAILED PRODUCT SPECS  
38



From decking and railing to furniture, lighting and more – all the ways you want to live outdoors.

A FEW OF THE REASONS TO TRUST THE #1 NAME IN OUTDOOR LIVING:

- ▶ Trex® composite decking is sustainably made in the USA from up to 95% recycled plastic film and reclaimed wood.
- ▶ Low maintenance and high performance: No sanding, staining or sealing with warranties up to 50 years.
- ▶ Style it your way with a variety of colors and price points, all of which pair perfectly with Trex® railing collections.





LETS BUILD SOMETHING TOGETHER



DECKING:  
Trex Transcend  
in Havana  
Gold (HG)  
RAILING:  
Trex Signature  
Rod Rail  
in Charcoal  
Black (BK)





Colors that weather Mother Nature and withstand Father Time.



### Color Selector

Explore and compare colors to find the perfect deck hue that speaks to you.

TRY OUT OUR COLOR SELECTOR







STYLISH DECKING COLLECTIONS  
THAT FIT ANY HOME AND  
ANY PRICE POINT

## Trex® Decking

Outperforming wood  
for more than 30 years

DECKING:  
Trex Transcend  
Lineage in  
Island Mist (IM)



### Highly Durable

Composite deck boards won't rot, warp, splinter and withstand sun, snow and sleet while resisting stains and mold.



### Sustainably Manufactured

Sustainably made in the U.S.A. using up to 95% recycled plastic film and reclaimed sawdust.



### Precision Meets Beauty

Expanded Trex Hideaway® Hidden Fastening System, made by Trex for Trex, ensures a screw-free, premium finish.




### Easy Care & Cleanup

Our boards need no sanding or staining. No kidding. Easy soap & water cleanup keeps decking like new.




LUXURY



\$\$\$\$\$



SCRATCH RESISTANCE



WHIDBEY



OCRACOKE




Setting a new standard for style in outdoor living

TREX Signature®

DECKING:  
Trex Signature  
in Ocracoke (OC)

EXPERIENCE  
TREX  
SIGNATURE



### WHIDBEY

Retreat to an island of misty cliffs, where salt-washed fog rolls in like a morning blanket.



### OCRACOKE

Escape to a secluded island sheltered by sandy dunes and marshy shores.



BEST



\$\$\$\$




SCRATCH RESISTANCE




ISLAND MIST




BISCAYNE



JASPER



RAINIER



CARMEL



The next generation of design and performance

Trex Transcend® LINEAGE™

DECKING: Trex Transcend Lineage in Biscayne (BC)  
RAILING: Trex Signature Rod Rail in Charcoal Black (BK)

\*Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar color, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

Photo © 2022 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All rights reserved.

DISCOVER TREX TRANSCEND LINEAGE



HEAT-MITIGATING TECHNOLOGY

### OUR COOLEST DECKING YET\*

Reflects the sun and your sense of style. Transcend® Lineage™ is engineered to keep your deck cooler, even on the hottest days.



NAMED GREEN BUILDER'S 2023 SUSTAINABLE PRODUCT OF THE YEAR.



"As we're driving around the US and Mexico, our deck is subject to insane winds and weather day in and day out. So having the best isn't just a matter of being picky, but a necessity to ensure our deck (will) last as long as our bus will."

**DEVIN O'DELL**  
of @basicallynomads and owner of a rooftop bus Trex deck



BEST



\$\$\$



SCRATCH RESISTANCE

ISLAND MIST\*

TIKI TORCH

HAVANA GOLD

SPICED RUM

LAVA ROCK

ROPE SWING



Established looks paired with assured performance

Trex Transcend®

\*Island Mist Tropicals will be discontinued on 12.31.2024 and replaced by Transcend Lineage Island Mist.

DECKING:  
Trex Transcend  
in Spiced  
Rum (SR)

RAILING:  
Trex Transcend  
in Classic White  
(WT) with  
Spiced Rum (SR)  
cocktail rail

DISCOVER  
TREX  
TRANSCEND



DEFINING RELIABILITY

UNCOMPROMISING  
FAVORITES, FOR ENDLESS  
POSSIBILITIES




"We wanted something that was sustainable and known for long-lasting beauty. We ultimately decided on Rope Swing."

**LIZ MARIE,**  
SHOP OWNER

*of The Found Cottage,  
author of Cozy White Cottage*



BETTER



LIMITED RESIDENTIAL  
35  
YEAR  
FADE & STAIN WARRANTY

\$\$

★★

SCRATCH RESISTANCE



PEBBLE GREY



SADDLE



The perfect pairing of price  
and minimal maintenance

**Trex**Select®


DECKING:  
Trex Select in  
Pebble Grey (PG)  
RAILING:  
Trex Classic Select  
with Pebble Grey  
(PG) cocktail rail

DISCOVER  
TREX SELECT



A SIMPLE CHOICE

AVAILABLE IN TRADITIONAL  
COLORS AND PLEASING  
WOOD-LIKE GRAIN PATTERN



"Our experience creating  
this amazing space in our  
backyard has been about  
so much more than just  
adding on a new deck.  
We came to create so  
many memorable moments  
working together as a family  
and with Trex to create an  
outdoor space we know  
we'll enjoy for years to come."

**ALEX  
& ERIN NYE**

*Trex Moments Contest Winners*



GOOD



SCRATCH RESISTANCE

Naturals

FOGGY WHARF

ROCKY HARBOR

TOASTED SAND

COASTAL BLUFF

Basics

CLAM SHELL

BEACH DUNE

SADDLE



The beauty of wood with the ease of composite, practically priced

**Trex** Enhance<sup>®</sup>  
NATURALS & BASICS

DECKING:  
Trex Enhance  
in Clam Shell (CS)

DISCOVER  
TREX ENHANCE



## COMPATIBLE

Enhance decks mix and match with all of our Trex railing lines, allowing you to create a completely custom look.



## SCALLOPED UNDERSIDE

First-of-its-kind plug system makes for safe, easy and effective installation.




"My family and I enjoy spending our weekend evenings on the deck. It's a great space to take in the sunset, listen to music, and relax after a long week."


**ASHLEY,**  
HOMEOWNER

*on the space she built with Charlee of Build & Create Home*





Trex upcycled more than  
**300 MILLION**  
pounds of plastic waste in 2023 in the making  
of our composite decking products.



**3,300+**  
Community groups and  
schools participated in  
NexTrex® outreach and  
collection program.



**~99% WATER**  
recycled annually by closed-loop  
recirculation systems at our Virginia and  
Nevada manufacturing facilities.




Recycled more than **5 BILLION** pounds of plastic  
film since company's inception – and growing.




Trex was ranked by  
Newsweek Magazine as one of  
**AMERICA'S MOST  
RESPONSIBLE COMPANIES  
2024.**



Named Investor's  
Business Daily 2023  
**100 BEST  
ESG COMPANIES**  
– one of only two  
companies representing the  
Building and Construction  
Products category.



One of the  
**LARGEST  
RECYCLERS**  
of plastic film in  
North America.



Most Sustainable Decking Brand for the  
**13<sup>TH</sup> STRAIGHT YEAR**  
Trex was selected as the 2023 Sustainable Brand Leader  
in the decking category by Green Builder Media.



At Trex, we understand the importance of protecting our planet. To us, everyday is Earth Day as we commit ourselves to designing sustainably, operating responsibly, empowering our people and building stronger communities, together.





TREX  
*Signature*

Setting a new standard for style in outdoor living.

\$\$\$\$\$  (50) ★★★★★

**Trex** Transcend®  
LINEAGE™

The next generation of design and performance.

\$\$\$\$  (50) ★★★★★

**Trex** Transcend®

Established looks paired with assured performance.

\$\$\$  (50) ★★★★★

**Trex** Select®

The perfect pairing of price and minimal maintenance.

\$\$  (35) ★★★

**Trex** Enhance®  
NATURALS






The beauty of wood with the ease of composite.

\$  (25) ★



**Trex** Enhance®  
BASICS

Priced to put the pressure on treated lumber.

\$  (25) ★




PRICE \$ - \$\$\$\$\$\$ BOARD PROFILES  SOLID  GROOVED SCALLOPED YEARS OF WARRANTY (25) (35) (50) SCRATCH RESISTANCE ★ - ★★★★★

SQUARE EDGE  GROOVED EDGE  Use with Trex Hideaway® Hidden Fastening System for a clean, screw-free appearance [COMPARE HERE](#)







WHATEVER YOUR BUDGET OR STYLE,  
WE HAVE A RAILING FOR YOU

## Trex® Railing

Choose from three  
distinct railing collections  
and frame your view

DECKING:  
Trex Transcend  
in Spiced Rum (SR)  
RAILING:  
Trex Signature  
Mesh Railing in  
Charcoal Black (BK)


EXPLORE  
TREX  
RAILING



CUSTOMIZE RAILING  
TO FIT YOUR VISION

### MIX & MATCH

Love a baluster in one style and  
a post in another? Want to combine  
different colors? We make it easy.



SIMPLIFY THE ORDERING PROCESS

### OFF-THE-SHELF EASE

Our one-box kit solution includes  
top and bottom rails, your preferred  
infill and all necessary hardware  
for a single section of railing.

*Post sleeve, cap and skirt sold separately.*

### THE ANATOMY OF RAILING

There are several  
key components of  
a railing section that  
help you lean into  
the view.





Aluminum Posts, Rails & Balusters

CLASSIC WHITE


BRONZE

CHARCOAL BLACK

Other Infill Panels

STAINLESS STEEL MESH

GLASS



Effortless style,  
exceptional strength

**Trex**Signature<sup>®</sup>  
RAILING

DECKING:  
Trex Transcend  
in Spiced Rum (SR)

RAILING:  
Trex Signature  
Glass Railing in  
Charcoal Black (BK)

DISCOVER  
TREX SIGNATURE  
RAILING




CLEAN, SLEEK, ELEGANT RAILING  
TO LET YOUR VIEW SHINE THROUGH

Made from premium aluminum, with four unique  
infills to complement any design aesthetic.

TREX SIGNATURE<sup>®</sup>  
ALUMINUM RAILING  
Offers stunning lines and  
a contemporary feel.

TREX SIGNATURE<sup>®</sup>  
MESH RAILING  
Crosshatching adds an  
industrial feel to any space.



TREX SIGNATURE<sup>®</sup>  
ROD RAIL  
Pairs a sleek profile  
with modern design.

TREX SIGNATURE<sup>®</sup>  
GLASS RAILING  
Ensures sweeping views  
with transparent panels.



TREX SIGNATURE®  
X-SERIES™  
CABLE RAIL

Posts & Rails

CHARCOAL BLACK

Infill



STAINLESS STEEL CABLES


TREX SIGNATURE®  
X-SERIES™ FRAMELESS  
GLASS RAIL

Posts

CHARCOAL BLACK

Infill Panel

FRAMELESS GLASS




COMING SPRING 2024

Increase outdoor sophistication  
and style X-ponentially

**Trex**Signature®  
X-SERIES™ RAILING

DECKING:  
Trex Transcend  
Lineage in  
Island Mist (IM)  
RAILING:  
Trex Signature  
X-Series Cable Rail




MADE FROM  
PREMIUM POWDER-  
COATED ALUMINUM

Versatile Trex Signature® X-Series™ Post  
can be configured to accommodate Cable or  
Frameless Glass Infill. Cable hardware made  
from premium-grade stainless steel for corrosion  
resistance in marine and coastal applications.

TREX SIGNATURE® X-SERIES™ CABLE RAIL  
Novel spring-loaded cables for optimal tension management.



TREX SIGNATURE® X-SERIES™ FRAMELESS GLASS RAIL  
Modern, streamlined design.





Composite: top & bottom rails, square balusters

CLASSIC WHITE

CHARCOAL BLACK

ROPE SWING

VINTAGE LANTERN

Aluminum: round balusters

CLASSIC WHITE

BRONZE

CHARCOAL BLACK

Timeless design you can trust – and tailor

**Trex** Transcend®  
RAILING

DISCOVER TREX TRANSCEND RAILING

DECKING:  
Trex Transcend in Tiki Torch (TT)

RAILING:  
Trex Transcend in Vintage Lantern (VL) and Classic White (WT)

Composite: top & bottom rails, square balusters

CLASSIC WHITE

Aluminum: round balusters

CHARCOAL BLACK

The simple choice for your backyard

**Trex** Select®  
RAILING

DISCOVER TREX SELECT RAILING

DECKING:  
Trex Select in Saddle (SD)

RAILING:  
Trex Classic Select in Classic White (WT) and Charcoal Black (BK)

As strong and sturdy as its namesake decking, Trex Transcend® Railing puts every color combination within reach. Style your own, or eliminate the guesswork with pre-designed kits.



Crisp, safe and effective, Trex Select® Railing streamlines the design process by combining composite rails with your choice of balusters. Available in Classic and T-Rail configurations.





## Deck Designer Tool

Bring your vision to life. Our Deck Designer tool helps you handpick every element of your deck and preview it in 3D.



EXPLORE THE TREX DESIGNER TOOL



## See Your Deck in Real Time

Your new deck springs to life in your backyard space with the Trex decking and railing AR Visualizer App.



DOWNLOAD THE TREX AR VISUALIZER APP FROM ANY APP STORE



## Find a Builder

Versed in all things Trex, expert TrexPro® contractors can guide you through your deck building process.



FIND A BUILDER

## Need Help With Your Build?

If you can dream it, you can build it with the help of Trex® Academy™. With answers to your most common questions, pro tips and how-to videos, we're here every step of the way.



GO TO TREX ACADEMY



## Planning Made Simple

Design your deck with easy-to-use online tools, from simple comparisons to detailed plans and shopping lists.

START PLANNING WITH OUR HELPFUL TOOLS



COLOR SELECTOR



COST CALCULATOR



DECKING COMPARISON



DECK DESIGNER



AR VISUALIZER

## Rediscover the Trex® Fastening System

When you want a deck that delivers above and beyond, build with the expanded Trex Hideaway® Collection, providing solutions for every deck fastening need, including color-matched screws, plugs, butt joint clip and more.





THE GO-TO TOUCHES


All the products to complete and complement your space.



TREX® RAINESCAPE®



TREX® FASCIA



TREX® CLADDING



TREX® PERGOLA



EXPLORE  
TREX  
PRODUCTS

Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A Limited Warranty is provided by the manufacturer.

For the terms of warranties on Trex® Outdoor Lighting, see page 50 or visit trex.com. Cree® is a registered trademark of Cree, Inc.

Trex® Pergola products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 25-Year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc.



TREX® FENCING




TREX® OUTDOOR LIGHTING





THE WOW TOUCHES

All the products and finishes to make your space feel even more you.



TREX® SPIRAL STAIRS



TREX® LATTICE



TREX® CORNHOLE



TREX® OUTDOOR FURNITURE



TREX® OUTDOOR KITCHENS



EXPLORE  
TREX  
PRODUCTS

Trex® Outdoor Furniture products are manufactured and sold by POLYWOOD. Under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.

Trex® Outdoor Kitchens are manufactured and sold by Danver Acquisitions, LLC, under a Trademark Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer.

Trex® Lattice is manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 12-year Limited Warranty is provided by the manufacturer.

Trex® Cornhole is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc. A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.



# PRODUCT SPECIFICATIONS

## Trex® Decking & Fascia

PROFILE	DESCRIPTION	ITEM #	COLORS	
<b>1" Square-Edge Board</b> <i>Actual dimensions:</i> Signature .94 in x 5.5 in x 20 ft (24 mm x 140 mm x 609 cm)  Transcend & Enhance: .94 in x 5.5 in x 16 ft / 20 ft (24 mm x 140 mm x 487 cm / 609 cm)  Select: .82 in x 5.5 in x 16 ft / 20 ft (20 mm x 140 mm x 487 cm / 609 cm)	1 x 6 x 20'	Signature	XX010620NS01	WY, OC
	1 x 6 x 16'	Transcend Lineage	XX010616TLS01	RN, CL, BC, JA, IM
	1 x 6 x 20'		XX010620TLS01	
	1 x 6 x 16'	Transcend Tropicals	XX010616TS01	TT, HG, SR, LR, IM
	1 x 6 x 20'		XX010620TS01	
	1 x 6 x 16'	Transcend Earth Tones	XX010616T2S01	RS
	1 x 6 x 20'		XX010620T2S01	
	7/8 x 6 x 16'	Select	XX010616SS01	PG, SD
	7/8 x 6 x 20'		XX010620SS01	
	1 x 6 x 16'	Enhance Naturals	XX010616E2S01	FW, RH, TS, CB
1 x 6 x 20'	XX010620E2S01			
1 x 6 x 16'	Enhance Basics	XX010616E2S01	CS, BD, SD	
1 x 6 x 20'		XX010620E2S01		
<b>1" Grooved-Edge Board</b> <i>Actual dimensions:</i> Signature, Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)  Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12'	Signature	XX010612NG01	WY, OC
	1 x 6 x 16'		XX010616NG01	
	1 x 6 x 20'		XX010620NG01	
	1 x 6 x 12'	Transcend Lineage	XX010612TLG01	RN, CL, BC, JA, IM
	1 x 6 x 16'		XX010616TLG01	
	1 x 6 x 20'		XX010620TLG01	
	1 x 6 x 12'	Transcend Tropicals	XX010612TG01	TT, HG, SR, LR, IM
	1 x 6 x 16'		XX010616TG01	
	1 x 6 x 20'		XX010620TG01	
	1 x 6 x 12'	Transcend Earth Tones	XX010612T2G01	RS
	1 x 6 x 16'		XX010616T2G01	
	1 x 6 x 20'		XX010620T2G01	
	7/8 x 6 x 12'	Select	XX010612SG01	PG, SD
	7/8 x 6 x 16'		XX010616SG01	
	7/8 x 6 x 20'		XX010620SG01	
1 x 6 x 12'	Enhance Naturals	XX010612E2G01	FW, RH, TS, CB	
1 x 6 x 16'		XX010616E2G01		
1 x 6 x 20'		XX010620E2G01		
1 x 6 x 12'	Enhance Basics	XX010612E2G01	CS, BD, SD	
1 x 6 x 16'		XX010616E2G01		
1 x 6 x 20'		XX010620E2G01		
<b>1" x 8" Fascia Board</b> <i>Actual dimensions:</i> Signature, Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12'	Signature	XX010812NS01	WY, OC
	1 x 8 x 12'	Transcend Lineage	XX010812TLS01	RN, CL, BC, JA, IM
	1 x 8 x 12'	Transcend Tropicals	XX010812TS01	TT, HG, SR, LR, IM
	1 x 8 x 12'	Transcend Earth Tones	XX010812T2S01	RS
	1 x 8 x 12'	Select	XX010812SS01	PG, SD
	1 x 8 x 12'	Enhance Naturals	XX010812E2S01	FW, RH, TS, CB
	1 x 8 x 12'	Enhance Basics	XX010812E2S01	CS, BD, SD
<b>1" x 12" Fascia Board</b> <i>Actual dimensions:</i> Signature, Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12'	Signature	XX011212NS01	WY, OC
	1 x 12 x 12'	Transcend Lineage	XX011212TLS01	RN, CL, BC, JA, IM
	1 x 12 x 12'	Transcend Tropicals	XX011212TS01	TT, HG, SR, LR, IM
	1 x 12 x 12'	Transcend Earth Tones	XX011212T2S01	RS
	1 x 12 x 12'	Select	XX011212SS01	PG, SD
	1 x 12 x 12'	Enhance Naturals	XX011212E2S01	FW, RH, TS, CB
	1 x 12 x 12'	Enhance Basics	XX011212E2S01	CS, BD, SD
<b>2" Square-Edge Board</b> <i>Actual dimensions:</i> Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	TT, HG, SR, LR, IM
	2 x 6 x 12'	Transcend Tropicals	XX020612TS01	TT, HG, SR, LR, IM
	2 x 6 x 16'		XX020616TS01	
	2 x 6 x 20'		XX020620TS01	
	2 x 6 x 12'	Select	XX020612SS01	PG, SD
	2 x 6 x 16'		XX020616SS01	
	2 x 6 x 20'		XX020620SS01	


XX = COLOR PREFIX

RN Rainier	WY Whidbey	LR Lava Rock	TS Toasted Sand	WW Universal White
CL Carmel	OC Ocracoke	RS Rope Swing	CB Coastal Bluff	
BC Biscayne	TT Tiki Torch	PG Pebble Grey	CS Clam Shell	
JA Jasper	HG Havana Gold	FW Foggy Wharf	BD Beach Dune	
IM Island Mist	SR Spiced Rum	RH Rocky Harbor	SD Saddle	

*\*Island Mist Tropicals will be discontinued on 12.31.2024 and replaced by Transcend Lineage Island Mist.*







## Trex® Railing—three lines, endless possibilities

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's components.



## Trex® Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM #
1	<b>Post Sleeve</b> Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	 4" x 4" x 39" Post Sleeve XX040439APS 4" x 4" x 108" Post Sleeve XX0404108APS  6" x 6" x 39" Post Sleeve WT060639APS 6" x 6" x 108" Post Sleeve WT0606108APS	
2a	<b>Post Sleeve Cap</b> Also available with LED lighting. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	 Flat 4" x 4" Post Sleeve Cap PXXSQCAP4X4 Flat 6" x 6" Post Sleeve Cap PWTSQCAP6X6	
2a	<b>Solar Post Cap Light</b> <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	 Flat 4" x 4" Solar Post Cap Light XXSOLAR4X4CAP	
2b	<b>Post Sleeve Skirt</b> <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	 4" x 4" Post Sleeve Skirt PXXSKIRT4X4 6" x 6" Post Sleeve Skirt PWTSKIRT6X6	
ACCESSORIES	COMPONENT	DESCRIPTION	ITEM #
	<b>Surface Mount Post</b> For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	 Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) ALPOSTMOUNT36 Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) ALPOSTMOUNT42 Surface Mount Post Hardware—Wood (10 kits/box) ALPOSTHWDECK	
	<b>Joist Mount Post</b> For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	 Aluminum Joist Mount Post for use with all Trex railing heights (1/box) CPJMNTPOST63	

XX = COLOR PREFIX

WT Classic White	RS Rope Swing
BK Charcoal Black	VL Vintage Lantern



# Trex Signature® Railing

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	<b>Aluminum Posts</b> Can only be used within the Trex Signature® line. Trex Signature® aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to previous page.			
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair <i>Comes with cap and skirt.</i>	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	IRC Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts.</i>  Concrete Post Mount Kit	ALPOSTHWDECK  ALPOSTHWCONC
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal <i>Comes with skirt.</i>	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post <i>Comes with cap and skirt.</i> Fascia Mount Kit - Wood Framing <i>For use with Joist Mount Post only.</i>	XXJMNTPOST63  XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets <i>Comes with cap and skirt.</i>	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	<i>Dimensions are nominals. See below for actuals and metrics.</i> [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	

3

## Rail & Baluster Kit

*(includes top rail, bottom rail, balusters and mounting and support hardware)*  
*Round kits available in BK. Square kits available in BK, BZ and WT.*

6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK
6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Stair 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL BKAS0836SRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL
6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	<i>Does not include hardware. Assembled Panels available in BK.</i>	

3

## Rod Rail Kit

*(includes top rail, bottom rail, rods and mounting and support hardware)*  
*Available in BKBK.*

6' x 36" Rod Rail Kit—Horizontal 6' x 36" Rod Rail Kit—Stair 8' x 36" Rod Rail Kit—Horizontal 8' x 36" Rod Rail Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	6' x 42" Rod Rail Kit—Horizontal 6' x 42" Rod Rail Kit—Stair 8' x 42" Rod Rail Kit—Horizontal 8' x 42" Rod Rail Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
--	--	--	--

36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair <i>Use as an accessory for cut Rod Rail sections. Available in BK.</i>	BK36RODHVERTK BK36RODSVERTK BK42RODHVERTK BK42RODSVERTK	<i>Dimensions are nominals. See below for actuals and metrics.</i> [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	
--	--	--	--

3

## Mesh Rail Kit

*(includes top rail, bottom rail, verticals and mounting and support hardware)*  
*Available in BK and BZ. Mesh infill sold separately.*



*Dimensions are nominals. See below for actuals and metrics.*  
[6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions]  
[8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]  
[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]  
[8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]

6' x 36" Mesh Rail Kit—Horizontal 6' x 36" Mesh Rail Kit—Stair 8' x 36" Mesh Rail Kit—Horizontal 8' x 36" Mesh Rail Kit—Stair	XXA0636PNLHRK XXA0636PNLSRK XXA0836PNLHRK XXA0836PNLSRK	6' x 42" Mesh Rail Kit—Horizontal 6' x 42" Mesh Rail Kit—Stair 8' x 42" Mesh Rail Kit—Horizontal 8' x 42" Mesh Rail Kit—Stair	XXA0642PNLHRK XXA0642PNLSRK XXA0842PNLHRK XXA0842PNLSRK
36" Mesh Rail Vertical Kit—Horizontal 36" Mesh Rail Vertical Kit—Stair 42" Mesh Rail Vertical Kit—Horizontal 42" Mesh Rail Vertical Kit—Stair <i>Use as an accessory for cut mesh railing sections.</i>	XX36MSHHVERTK XX36MSHSVERTK XX42MSHHVERTK XX42MSHSVERTK		

XX = COLOR PREFIX WT Classic White BZ Bronze BK Charcoal Black

STEP	COMPONENT	DESCRIPTION	ITEM #
4	<b>Mesh Panel</b> For use with Trex Signature® Mesh Rail Kit.	6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal Stainless Steel Mesh Panel—Stair	SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST
		<i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]	
3	<b>Glass Rail Kit</b> <i>(includes top rail, bottom rail, and mounting and support hardware)</i> <i>Available in BK and WT.</i> <i>Glass infill sold separately.</i>	6' Glass Rail Kit—Horizontal <i>Dimension above is nominal. See below for actual and metric.</i> [6': 72 in (182 cm) actual dimension]	XXA06HGLRK

4

## Glass Panel

For use with Trex Signature® Glass Rail Kit.  
*Visit [glass.trex.com](http://glass.trex.com) to order custom glass panels to complete your build.*

for 36" Rail Height—Horizontal  
for 42" Rail Height—Horizontal

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Trex Signature® Bracket Template—Horizontal (36" and 42") - 4x4 Composite Sleeve Trex Signature® Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMP4X4SLEEVE SIGTEMPIRCPOST	Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom) Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCTBKAL10PK XXFHBKTALPNL XXFSBKAL XXSWHBKTAL XXSWSBKAL XXCPDSWBKTAL
	Aluminum Foot Block Extended Aluminum Foot Block	XXALFTBLK XXAL08FTBLK	2.5" Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) Crossover Rail End Cap 2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25FHCBKTAL XX90FHCBKTAL XXXOVERENDCAP XX25RCSWSCBKAL
			Touch-up Pen	XXTOUCHUPPEN

# Trex Signature® X-Series™ Railing

Choose your X-Series Post for step 1. Pair with either a Cable Rail Kit or Frameless Glass Infill Kit and Laminated Glass Panel for steps 2 & 3.



STEP	COMPONENT	DESCRIPTION	ITEM #	
1	<b>X-Series Posts</b>	<i>Dimensions are nominals. See below for actuals and metrics.</i> [3.5 in x 3.5 in x 36.9 in (88 mm x 88 mm x 937 mm) actual dimensions] [3.5 in x 3.5 in x 42.9 in (88 mm x 88 mm x 108 cm) actual dimensions] [3.5 in x 3.5 in x 52.9 in (88 mm x 88 mm x 134 cm) actual dimensions]	3.5" x 3.5" x 37" Anchor Post—Horizontal 3.5" x 3.5" x 43" Anchor Post—Horizontal 3.5" x 3.5" x 53" Anchor Post—Stair	BKAX353537RCAP BKAX353543RCAP BKAX353553RCAP
2	<b>Cable Rail Kit</b>	<i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [12' x 36": 144 in x 36 in (365 cm x 914 mm) actual dimensions] [18' x 36": 216 in x 36 in (548 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [12' x 42": 144 in x 42 in (365 cm x 106 cm) actual dimensions] [18' x 42": 216 in x 42 in (548 cm x 106 cm) actual dimensions]	6' x 36" Cable Rail Kit—Horizontal 12' x 36" Cable Rail Kit—Horizontal 18' x 36" Cable Rail Kit—Horizontal 6' x 36" Cable Rail Kit—Stair 6' x 42" Cable Rail Kit—Horizontal 12' x 42" Cable Rail Kit—Horizontal 18' x 42" Cable Rail Kit—Horizontal 6' x 42" Cable Rail Kit—Stair	BKAX0636CBLHRK BKAX1236CBLHRK BKAX1836CBLHRK BKAX0636CBLSRK BKAX0642CBLHRK BKAX1242CBLHRK BKAX1842CBLHRK BKAX0642CBLSRK
2	<b>Frameless Glass Infill Kit</b>	Infill Kit—Horizontal (One Size)	BKAXGLIK	
3	<b>Laminated Glass Panel</b> For use with Trex Signature® X-Series™ Frameless Glass Infill Kit. <i>Visit <a href="http://glass.trex.com">glass.trex.com</a> to order custom glass panels to complete your build.</i>	for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal		

XX = COLOR PREFIX WT Classic White BZ Bronze BK Charcoal Black






# Trex Transcend® Railing

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).








STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS																		
3	 <p><b>Rail &amp; Square Composite Baluster Kit</b> <i>(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware)</i> Color option indicates rails and balusters.</p>	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRKFS WT0636SRKFS XX0836HRKFS XX0836SRKFS	WT, BK, VL																		
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRKFS XX0842HRKFS XX0842SRKFS	WT, BK, VL																		
3	 <p><b>Rail &amp; Round Aluminum Baluster Kit</b> <i>(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> Color option indicates rails. Round aluminum balusters come in BK.</p>	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRKFS XXRD0836HRKFS XXRD0836SRKFS	WT, BK, VL																		
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRKFS XXRD0842HRKFS XXRD0842SRKFS	WT, BK, VL																		
3	 <p><b>Cocktail Rail &amp; Round Aluminum Baluster Kit</b> <i>(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> Round aluminum balusters come in BK. Only Trex Transcend® and Trex Select® deck boards can be used for cocktail rail application.</p>	6' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0636HRKCKTLFS WTRD0836HRKCKTLFS WTRD0836SRKCKTLFS	WT																		
<p><i>Dimensions are nominals. See below for actuals and metrics.</i> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)</p>																						
3a	 <p><b>Top Rail</b> Universal top rail is used for cocktail rail applications.</p>	6' Crown Top Rail 8' Crown Top Rail 6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXCROWNTR06FS XXCROWNTR08FS XXUNIVTBR06FS XXUNIVTBR08FS	WT, BK, RS, VL																		
3b	 <p><b>Bottom Rail</b></p>	6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06FS XXUNIVTBR08FS	WT, BK, RS, VL																		
4	 <p><b>Balusters</b> See chart below for number of balusters needed to complete each railing section. <i>Composite balusters are available in WT, BK, RS, and VL. Aluminum balusters are available in WT, BZ and BK.</i></p>	Square Composite Balusters for 36" Rail Height (16/pack) Square Composite Balusters for 42" Rail Height (16/pack)	XX020230SBK XX020236SBK	WT, BK, RS, VL																		
		Round Aluminum Balusters for 36" Rail Height (20/pack) Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA30RBK XXTA36RBK	WT, BZ, BK																		
<p><i>Dimensions are nominals. See below for actuals and metrics.</i> 6' Full Span Rail: 72 in (182 cm) 8' Full Span Rail: 96 in (243 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)</p>																						
<table border="1"> <thead> <tr> <th>BALUSTER</th> <th>ORIENTATION</th> <th>6' SECTION</th> <th>8' SECTION</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Square composite</td> <td>Horizontal</td> <td>14</td> <td>19</td> </tr> <tr> <td>Stair</td> <td>11</td> <td>15</td> </tr> <tr> <td rowspan="2">Round aluminum</td> <td>Horizontal</td> <td>16</td> <td>21</td> </tr> <tr> <td>Stair</td> <td>13</td> <td>17</td> </tr> </tbody> </table>				BALUSTER	ORIENTATION	6' SECTION	8' SECTION	Square composite	Horizontal	14	19	Stair	11	15	Round aluminum	Horizontal	16	21	Stair	13	17	
BALUSTER	ORIENTATION	6' SECTION	8' SECTION																			
Square composite	Horizontal	14	19																			
	Stair	11	15																			
Round aluminum	Horizontal	16	21																			
	Stair	13	17																			

<b>XX = COLOR PREFIX</b>	<b>COMPOSITE COLORS</b>		<b>ALUMINUM COLORS</b>	
	WT Classic White	RS Rope Swing	WT Classic White	BK Charcoal Black
	BK Charcoal Black	VL Vintage Lantern	BZ Bronze	

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS	
5	 <p><b>Accessory Infill Kit</b> <i>(includes, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Dimensions are nominals. See below for actuals and metrics.</i> 6': 72 in (182 cm) 8': 96 in (243 cm)</p>	6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQHIK06FS XXSQSIK06FS XXSQHIK08FS XXSQSIK08FS	WT, BK, RS, VL	
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIK06FS XXRDSIK06FS XXRDHIK08FS XXRDSIK08FS	WT, BK, RS, VL	
<b>ACCESSORIES</b>		<b>COMPONENT</b>	<b>ITEM #</b>	<b>COMPONENT</b>	<b>ITEM #</b>
		Transcend Bracket Template—Horizontal (36" and 42")—Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET
		Foot Block	XXFTBLKPC	0 Degree Rail Gasket Pack—Horizontal 0 Degree Rail Gasket Pack—Stair 22.5 Degree Gasket Pack 45 Degree Birdsmouth Gasket Pack (for 4x4) 45 Degree Gasket Pack (for 6x6)	XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK

# Trex Select® Railing

Trex Select® is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM #
3	 <p><b>Classic Rail &amp; Round Aluminum Baluster Kit</b> <i>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack)</i> Available in WT rails with aluminum balusters in BK.</p>	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	WTRD0636HSELKFS WTRD0636SSELKFS WTRD0836HSELKFS WTRD0836SSELKFS WTRD0642HSELKFS WTRD0842HSELKFS WTRD0842SSELKFS
		 <p><b>T-Rail &amp; Round Aluminum Baluster Kit</b> <i>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack)</i> Available in WT rails with aluminum balusters in BK.</p>	6' x 36" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Stair 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Stair
3	 <p><b>T-Rail &amp; Square Composite Baluster Kit</b> <i>(includes top rail, bottom rail, square composite balusters, adjustable foot block and hardware pack)</i> Available in WT rails with square balusters in WT. See below for actuals and metrics.</p>	6' x 36" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Stair 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Stair	WTSQ0636HSELTRK WTSQ0636SSELTRK WTSQ0836HSELTRK WTSQ0836SSELTRK WTSQ0642HSELTRK WTSQ0842HSELTRK WTSQ0842SSELTRK
		<p><i>See below for actuals and metrics.</i> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)</p>	
<b>ACCESSORIES</b>		<b>COMPONENT</b>	<b>ITEM #</b>
		Mounting Hardware for Cut Classic Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Classic Rails—Stair (10 kits/box)	BKENHZBKT BKENSTBKT
		Mounting Hardware for Cut T-Rails—Horizontal Mounting Hardware for Cut T-Rails—Stair	PTRLHBKTKIT PTRLSTBTKIT
		Trex Select® 8' Aluminum Classic Rail Stiffener Trex Select® 8' Aluminum T-Rail Stiffener (IRC)	SELALRAILSTIFFENER SELALTRAILSTIFFNR
		T-Rail 22.5 Degree Left Bracket Pack T-Rail 22.5 Degree Right Bracket Pack T-Rail 45 Degree Birdsmouth Bracket Pack	TRL22LBKTKIT TRL22RBKTKIT TRLBMBKTKIT




## Trex® Outdoor Lighting

COMPONENT & DESCRIPTION	ITEM #
<b>Flat Post Cap Light</b> » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead	BKSQLEDCAP4X4C BKSOLAR4X4CAP WTSQLEDCAP4X4C WTSOLAR4X4CAP VLSQLEDCAP4X4C VLSOLAR4X4CAP RSSQLEDCAP4X4C
<b>Aluminum Post Cap Light</b> » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead	BKALCAPLED25 BZALCAPLED25 WTALCAPLED25
<b>Aluminum Deck Rail Light</b> » LED Deck Rail Light [2.75 in (69 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead	BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC
<b>Aluminum Wedge Deck Rail Light</b> » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead	BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED
<b>Aluminum Stair Riser Light</b> » 4 LED Riser Lights [1.25 in (31 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead	BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC
<b>Recessed Deck Light</b> » 4 LED Recessed Lights [1 in (25 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead	RECESSLED4PKC

ACCESSORIES	ITEM #
<b>Transformer with Timer</b> » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20 ft (6.09 m) LightHub® Wire Extension Cable	8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER
<b>Multi-zone Transformer Adapter</b>	DL5FTSPLIT1PK
<b>Dimmer</b> » Single Channel with Remote	DLDIMMER
<b>Wifi Lighting Controller</b>	DLWiFIC
<b>Forstner Bit</b> » Pack of 6 » 1 in (25 mm)	DLBIT6PK
<b>LightHub® Accessories</b> » 3-Way Splitter » 6-Way Splitter » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable » Female to Female Adapter	DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DLFADAP6PK


## Trex Aluminum ADA Handrail

COMPONENT	ITEM #
1.375 in x 8 ft (34 mm x 243 cm) Handrail Wall Return 90° Wall Mount Inside Corner Mount 180° Elbow ("Candy Cane") 5° Elbow 31° Elbow 34° Elbow 36° Elbow 90° Elbow Adjustable Elbow Straight 4 in (101 mm) Internal Connector Inline Termination Bracket Rail End Cap Collar Available in BK, BZ and WT.	XXALADARAIL8 XXALADA90WR2G XXALADAWMNT2G XXALADAICORNER2G XXALADA180CCANE XXALADA05ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA90ELB2G XXALADAADJELB XXALINTCONN XXALADAINLINE XXALADACAP XXALADACL



## Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM #
<b>Adjustable Gate</b> Available in BK, BZ and WT.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
<b>Hardware Pack</b> Hardware for attachment to wood post with composite sleeve or aluminum posts	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW



## Trex Hideaway® Hidden Fastening System

COMPONENT	DESCRIPTION	ITEM #
<b>Universal Fastener</b> (glass-filled nylon)	50 sq. ft. box 500 sq. ft. bucket	UNIVCONCLIP DA00002
<b>Universal Starter Clip</b>	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
<b>Butt Joint Clip</b>	Butt Joint Clip (14/pack)	BJC14PK
<b>Router Bit</b>	Router Bit	ROUTBIT
<b>Universal Fastener Installation Tool</b>	Universal Fastener Installation Tool	ONESTEPTL



XX = COLOR PREFIX


WT Classic White


BZ Bronze

BK Charcoal Black




## Trex® Color-Match Deck Screws


COMPONENT	ITEM #	COLORS
Trex Color-Match 2-1/2" 75 Count 	TCM25BC75	BC
	TCM25BD75	JA & BD
	TCM25CB75	CB
	TCM25CL75	RS & CL
	TCM25CS75	CS
	TCM25FW75	FW & RN
	TCM25IM75	IM
	TCM25LR75	LR
	TCM25PG75	PG & WY
	TCM25RH75	RH
	TCM25SD75	SD & OC
	TCM25SR75	SR
	TCM25TS75	TS & HG
	TCM25TT75	TT


Trex Color-Match 2-1/2" 350 Count 	TCM25BD350	JA & BD
	TCM25BC350	BC
	TCM25PG350	PG & WY
	TCM25CL350	RS & CL
	TCM25SD350	SD & OC
	TCM25TS350	TS & HG
	TCM25CB350	CB
	TCM25CS350	CS
	TCM25FW350	FW & RN
	TCM25IM350	IM
	TCM25LR350	LR
	TCM25SR350	SR
	TCM25TT350	TT
	TCM25RH350	RH

## Trex® Color-Match Fascia Screws

COMPONENT	ITEM #	COLORS
Trex Color-Match Fascia 1-3/4" 75 Count 	TCMF175BD75	JA & BD
	TCMF175BC75	BC
	TCMF175PG75	PG & WY
	TCMF175CL75	RS & CL
	TCMF175SD75	SD & OC
	TCMF175TS75	TS & HG
	TCMF175CB75	CB
	TCMF175CS75	CS
	TCMF175FW75	FW & RN
	TCMF175IM75	IM
	TCMF175LR75	LR
	TCMF175SR75	SR
	TCMF175TT75	TT
	TCMF175WW75	WW
	TCMF175RH75	RH




## Trex® Decking Plug Screws

COMPONENT	ITEM #	COLOR
Trex Decking Plug System 2-1/2" 75 & 350 Count 	TDPS25BK75	BLACK
	TDPS25BK350	


COMPONENT	ITEM #	COLORS
Trex Color-Match 2-1/2" 1400 Count 	TCM25BD1400	JA & BD
	TCM25BC1400	BC
	TCM25PG1400	PG & WY
	TCM25CL1400	RS & CL
	TCM25SD1400	SD & OC
	TCM25TS1400	TS & HG
	TCM25CB1400	CB
	TCM25CS1400	CS
	TCM25FW1400	FW & RN
	TCM25IM1400	IM
	TCM25LR1400	LR
	TCM25SR1400	SR
	TCM25TT1400	TT
	TCM25RH1400	RH




## Trex® Plug Screws - Fascia and Decking


COMPONENT	ITEM #	COLOR
Trex Plug System Fascia 1-3/4" 75 Count 	TPSF175BK75	BLACK
Trex Enhance® Decking Plug Screws 2" 75 Count 	TENDPLGS2BK75	BLACK
Trex Enhance® Decking Plug Screws 2" 400 Count 	TENDPLGS2BK400	BLACK

## Trex® Decking Plugs

COMPONENT	ITEM #	COLORS
Trex Deck Plugs 80 Count 	TDPLGJA80	JA
	TDPLGBC80	BC
	TDPLGPG80	PG
	TDPLGSD80	SD
	TDPLGHG80	HG
	TDPLGRN80	RN
	TDPLGCL80	CL
	TDPLGIM80	IM
	TDPLGLR80	LR
	TDPLGSR80	SR
	TDPLGTT80	TT

Trex Deck Plugs 400 Count 	TDPLGJA400	JA
	TDPLGBC400	BC
	TDPLGPG400	PG
	TDPLGSD400	SD
	TDPLGHG400	HG
	TDPLGRN400	RN
	TDPLGCL400	CL
	TDPLGIM400	IM
	TDPLGLR400	LR
	TDPLGSR400	SR
	TDPLGTT400	TT


## Trex® Fascia Plugs


COMPONENT	ITEM #	COLORS
Trex Fascia Plugs 80 Count 	TPSFBC80	BC
	TPSFCL80	CL
	TPSFHG80	HG
	TPSFIM80	IM
	TPSFJA80	JA
	TPSFLR80	LR
	TPSFPG80	PG
	TPSFRN80	RN
	TPSFRS80	RS
	TPSFSDSL80	SD
	TPSFSR80	SR
	TPSFJT80	TT
	TPSFWW80	WW

## Trex® Decking System Tools




COMPONENT	ITEM #
HexStix Bit 2 Pack 	THB2PK
Decking DS 1 Pack 	TDDS1PK

## Trex Enhance® Decking/Fascia Plugs

COMPONENT	ITEM #	COLORS
Trex Enhance® Decking/Fascia Plugs 80 Count 	TPSDFBD80	BD
	TPSDFCB80	CB
	TPSDFCS80	CS
	TPSDFFW80	FW
	TPSDFRH80	RH
	TPSDFSDEN80	SD
TPSDFTS80	TS	

Trex Enhance® Decking/Fascia Plugs 416 Count 	TPSDFBD416	BD
	TPSDFCB416	CB
	TPSDFCS416	CS
	TPSDFFW416	FW
	TPSDFRH416	RH
	TPSDFSDEN416	SD
TPSDFTS416	TS	

## Trex® Decking/Fascia System Tools

COMPONENT	ITEM #
Trex Color-Match Fascia Counterbore Tool Kit with Drive Bits 	TCMFCKIT
Trex Plug System Fascia Counterbore Tool Kit with Depth Setters 	TPSFCKIT
Trex Plug System Enhance Decking Tool Kit with Depth Setters 	TPSENDCKIT

XX = COLOR PREFIX

RN Rainier	WY Whidbey	HG Havana Gold	PG Pebble Grey	TS Toasted Sand	WW Woodgrain White
CL Carmel	OC Ocracoke	SR Spiced Rum	SD Saddle	CB Coastal Bluff	
BC Biscayne	IM Island Mist	LR Lava Rock	FW Foggy Wharf	CS Clam Shell	
JA Jasper	TT Tiki Torch	RS Rope Swing	RH Rocky Harbor	BD Beach Dune	





# TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions and in accordance with Trex’s written instructions, Trex® product set forth in Table I below (the “Product”) shall perform as follows:

**Physical Integrity:** The Product shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

**Fade Resistance:** The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twenty-five years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period, if any. While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated above.

**Stain Resistance:** The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at [www.trex.com](http://www.trex.com).

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

**Residential/Commercial Application:** For purposes of this Limited Warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

**Term of Limited Warranty:** The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Signature® Decking and Trex® Fascia	50 Years	10 Years
Trex Transcend® Decking and Trex® Fascia	50 Years	10 Years
Trex® Cladding	50 Years	25 Years
Trex Select® Decking and Trex® Fascia, Universal Fascia	35 Years	10 Years
Trex Enhance® Decking and Trex® Fascia	25 Years	10 Years

**Transferability:** With respect to a residential application, this Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this Limited Warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

**EXCLUSIONS FROM WARRANTY COVERAGE**

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex’s Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex’s website at [trex.com](http://trex.com). Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser’s convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser’s specific application. This Limited Warranty does not cover defects caused by:

**Exposure to Heat:** Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty.

**Surface Damage:** Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

**Paint or Other Materials Applied to the Product:** If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

**Other Exclusions:** This Limited Warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

**Excluded Products:** This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex Transcend® railing, Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting products, TrexTrim™ products, Trex® Outdoor Lighting products, Trex Hideaway® Fasteners, and Trex® Fencing, which are excluded from this Limited Warranty. Each of these products has a separate Limited Warranty.

**PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY**

To make a claim under this Limited Warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the Limited Warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at [www.trex.com](http://www.trex.com)) within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser’s expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Trex Company, Inc.  
Customer Relations  
2500 Trex Way  
Winchester, VA 22601

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex’s sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex’s discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex’s obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. **THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER’S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.**

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
11	90%	80%	80%
12	90%	80%	80%
13	90%	80%	80%
14	90%	80%	60%
15	90%	60%	60%
16	90%	60%	60%
17	70%	60%	40%
18	70%	60%	40%
19	70%	40%	40%
20	70%	40%	20%
21	70%	40%	20%
22	70%	40%	20%
23	50%	20%	10%
24	50%	20%	10%
25	50%	20%	10%
26	50%	20%	–
27	50%	20%	–
28	50%	20%	–
29	30%	10%	–
30	30%	10%	–
31	30%	10%	–
32	30%	10%	–
33	30%	10%	–
34	30%	10%	–
35	30%	10%	–
36	20%	–	–
37	20%	–	–

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
38	20%	–	–
39	20%	–	–
40	20%	–	–
41	20%	–	–
42	20%	–	–
43	10%	–	–
44	10%	–	–
45	10%	–	–
46	10%	–	–
47	10%	–	–
48	10%	–	–
49	10%	–	–
50	10%	–	–

**THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS. TREX DOES NOT MAKE ANY OTHER WARRANTIES, IMPLIED OR EXPRESS, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TREX’S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.**

**THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN**

**REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX’S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.





# TREX® RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex’s written instructions, Trex® product set forth in Table I below (the “Product”) shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

**Residential/Commercial Application:** For purposes of this warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

**Term of Limited Warranty:** The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Railing, Trex Signature® X-Series™ Railing	25 Years	25 Years
Trex Signature® X-Series™ Cable Rail (Cable Infill/Assemblies ONLY)	10 Years	10 Years
Trex Transcend® Railing, Trex Select® Railing, Trex Enhance® Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
Trex® Deck Lighting (LEDs and Housings)	7 Years	7 Years
Trex® Deck Lighting (Transformer, Timer, Dimmer, WiFi Controller, Solar Components)	3 Years	3 Years
Trex® Deck Lighting (Solar Battery)	1 Year	1 Year

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

**EXCLUSIONS FROM WARRANTY COVERAGE**

**Notwithstanding the foregoing, (a) the warranty for Trex® Deck Lighting Products (excluding Trex® Solar Post Cap Lights) is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other Trex® Deck Lighting parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products and Trex fasteners (which each have separate warranties); and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at [www.trex.com](http://www.trex.com) will void this warranty with respect to any condition resulting from such failure.**

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex’s Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex’s website at [trex.com](http://trex.com).

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser’s convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser’s specific application.

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex’s installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements or atmospheric contaminants (such as salt spray, salt air, chemicals, pollution, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (7) ordinary wear and tear; (8) vandalism; or (9) other causes beyond the control of Trex.

**PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY**

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
2500 Trex Way  
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex’s sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex’s discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex’s obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement.

**THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER’S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.**

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX’S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.**

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

**No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.**

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX’S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.





FRONT:  
Trex Transcend Lineage  
Decking in Biscayne (BC) with  
Trex Signature Glass Railing

BACK:  
Signature Decking in Ocracoke (OC)  
with Trex Signature Mesh Railing



Engineering What's Next  
in Outdoor Living®

DECKING | RAILING | LIGHTING | FASCIA | KITCHENS | FURNITURE | PERGOLA | DRAINAGE  
SPIRAL STAIRS | CORNHOLE | LATTICE | CLADDING | HIDDEN FASTENERS | FENCING

Visit [trex.com](https://www.trex.com) or call 1-800-BUY-TREX

FIND US ON



© 2024 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Trex Transcend® Lineage™, Trex Signature®, Trex® OutdoorLighting, Trex Hideaway®, Trex® Pergola, Trex® Outdoor Kitchens, Trex® Outdoor Furniture, Trex® Cladding, Trex® Fascia, Trex® Spiral Stairs, Trex® Cornhole, Trex® Lattice and Trex® Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.